



Aortic Arch Vessel Anatomy



Circle of Willis



Aneurysm Incidence by Location¹

Cavernous Carotid Artery (CCA):	~17%
- Internal Carotid Artery (ICA):	~25%
Anterior Communicating Artery (ACOM):	~10%
Posterior Communicating Artery (PCOM):	~14%
Middle Cerebral Artery (MCA):	~23%
Vertebrobasilar or Posterior Cerebellar Artery (PCA):	~6%
Basilar Artery apex (BA):	~5%

¹ M.R. Harrigan, J.P. Deveikis, Handbook of Cerebrovascular Disease and Neurointerventional Technique, Second edition, 2013, pg. 483



CERENOVUS
PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

© CERENOVUS 2021. All rights reserved.
158380-201106




Cerebrovascular Angiographic Pocket Guide



CERENOVUS
PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES


Anterior Circulation

AP VIEW




1. Internal Carotid Artery (ICA)
2. Middle Cerebral Artery (MCA)
3. Anterior Cerebral Artery1 A1 (ACA)
4. Anterior Cerebral Artery A2 (ACA)
5. *not shown-Anterior Communicating Artery (ACOM)-connection between the left and right ACA
6. Ophthalmic Artery
7. Posterior Communicating Artery (PCOM)

LATERAL VIEW



Posterior Circulation

AP VIEW



1. Vertebral Artery (VA)
2. Basilar Artery (BA)
3. Posterior Cerebral Artery (PCA)
4. Superior Cerebellar Artery (SCA)
5. Posterior Inferior Cerebellar Artery (PICA)
6. Anterior Inferior Cerebellar Artery (AICA)

LATERAL VIEW

